


	<b>Construction materials / Universal / 17mm castellated segments / perforated steel core</b>
<b>UX-570</b>	230x22,23 15 SEG. 44.4X2.8X14.0+3.0 NBL1 RILLE K116
<b>UX-570</b>	300x20,00 19 SEG. 42.6X2.8X14.0+3.0 NBL2 RILLE K118
<b>UX-570</b>	350x20,00 22 SEG. 42.1X3.0X14.0+3.0 NBL2 RILLE K118
<b>UX-570</b>	350x25,40 22 SEG. 42.1X3.0X14.0+3.0 NBL2 RILLE K118
<b>UX-570</b>	400x20,00 24 SEG. 44.1X3.2X14.0+3.0 NBL2 RILLE K118
<b>UX-570</b>	400x25,40 24 SEG. 44.1X3.2X14.0+3.0 NBL2 RILLE K118



	<b>Construction materials / Universal / 13mm castellated segments / perforated steel core</b>
<b>UX-560</b>	115x22,23 8 SEG. 42.5X2.4X10+3 NBL1 K168,1
<b>UX-560</b>	125x22,23 9 SEG. 40.5X2.4X10+3 NBL1 K168,1
<b>UX-560</b>	150x22,23 11 SEG. 40.5X2.4X10+3 NBL1 K168,3
<b>UX-560</b>	180x22,23 13 SEG. 41.2X2.4X10+3 NBL1 K168,3
<b>UX-560</b>	230x22,23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,5
<b>UX-560</b>	230x22,23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K41,1
<b>UX-560</b>	300x20,00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,5
<b>UX-560</b>	300x20,00 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,4
<b>UX-560</b>	350x20,00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>UX-560</b>	350x20,00 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>UX-560</b>	350x25,40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>UX-560</b>	350x25,40 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>UX-560</b>	400x20,00 28 SEG. 39,6X3.2X10.0+3.0 NBL2 K168,4
<b>UX-560</b>	400x25,40 24 SEG. 39,6X3.2X10.0+3.0 NBL2 K168,5





	<b>Construction materials / Universal / 17mm castellated segments / perforated steel core</b>
<b>GX-570</b>	230x22,23 15 SEG. 44.4X2.8X14.0+3.0 NBL1 RILLE K116
<b>GX-570</b>	300x20,00 19 SEG. 42.6X2.8X14.0+3.0 NBL2 RILLE K118
<b>GX-570</b>	350x20,00 22 SEG. 42.1X3.0X14.0+3.0 NBL2 RILLE K118
<b>GX-570</b>	350x25,40 22 SEG. 42.1X3.0X14.0+3.0 NBL2 RILLE K118
<b>GX-570</b>	400x20,00 24 SEG. 44.1X3.2X14.0+3.0 NBL2 RILLE K118
<b>GX-570</b>	400x25,40 24 SEG. 44.1X3.2X14.0+3.0 NBL2 RILLE K118




	<b>Construction materials / Universal / 13mm segments / perforated steel core</b>
<b>CX-520</b>	125X22.23 9 SEG.40.3X2.6X10+3 NBL1 K092
<b>CX-520</b>	150X22.23 11 SEG.40.5X2.6X10+3 NBL1 K092
<b>CX-520</b>	180X22,23 13 SEG.41.2X2.6X10+3 NBL1 K092
<b>CX-520</b>	200X22,23 14 SEG.41.2X2.6X10+3 NBL1 K092
<b>CX-520</b>	230x22,23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,5
<b>CX-520</b>	230x22,23 16 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,4
<b>CX-520</b>	300x20,00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	300x20,00 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,4
<b>CX-520</b>	300x25,40 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	300x25,40 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,4
<b>CX-520</b>	350x20,00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	350x20,00 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	350x25,40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	350x25,40 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	400x20,00 24 SEG. 39.6X3.2X10.0+3.0 NBL2 K168,5
<b>CX-520</b>	400x20,00 28 SEG. 39.6X3.2X10.0+3.0 NBL2 K168,4
<b>CX-520</b>	400x25,40 24 SEG. 39.6X3.2X10.0+3.0 NBL2 K168,5




	Construction materials / Universal / 10mm turbo rimed	
<b>UT-223</b>	115x22,23 Turbo 2,2x10 mm	
<b>UT-223</b>	115x22,23 Turbo 2,2x10 mm	
<b>UT-223</b>	125x22,23 Turbo 2,2x10 mm	
<b>UT-223</b>	125x22,23 Turbo 2,2x10 mm	
<b>UT-223</b>	150x22,23 Turbo 2,3x10 mm	
<b>UT-223</b>	180x22,23 Turbo 2.6x10 mm	
<b>UT-223</b>	230x22,23 Turbo 2,6x10 mm	
<b>UT-223</b>	230x22,23 Turbo 2,6x10 mm	
<b>UT-223</b>	300x25,40 Turbo 3,0x10 mm	
<b>UT-223</b>	350x25,40 Turbo 3,2x10 mm	

	Construction materials / Universal / 12mm turbo segment	
<b>US-118</b>	115x22,23 8 Turbo Segm. 33X2.4X12.0	
<b>US-118</b>	125x22,23 9 Turbo Segm. 33X2.4X12.0	
<b>US-118</b>	150x22,23 10 Turbo Segm. 33X2.6X12	
<b>US-118</b>	180x22,23 14 Turbo Segm. 34X2.6X12.0	
<b>US-118</b>	230x22,23 16 Turbo Segm. 39X3.2X12.0	

	Construction materials / Universal / 10mm turbo segment	
<b>UC-110</b>	115X22.23 8 Segm. 38x1,6x10	
<b>UC-110</b>	125X22.23 9 Segm. 38x1,8x10	
<b>UC-110</b>	180X22.23 14 Segm. 38x2,4x10	
<b>UC-110</b>	230X22.23 18 Segm. 38x2,6x10	
<b>UC-110</b>	300X25.40 22 Segm. 37x3,0x10	
<b>UC-110</b>	350X25.40 24 Segm. 40x3,2x10	

	<b>Construction abrasiv / 13mm segment / massiv steel core</b>
<b>UX-220</b>	115X22,23 8 SEG. 42.5X2.4X10+3 NBL1 K103
<b>UX-220</b>	125X22,23 9 SEG. 40.3X2.4X10+3 NBL1 K103
<b>UX-220</b>	150X22,23 11 SEG. 40.5X2.4X10+3 NBL1 K103
<b>UX-220</b>	180X22,23 13 SEG. 41.2X2.4X10+3 NBL1 K103
<b>UX-220</b>	230X22.23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K103
<b>UX-220</b>	230X22.23 16 SEG. 43.4X2.6X10.0+3.0 NBL1 K103
<b>UX-220</b>	300X20.00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K103
<b>UX-220</b>	300X20.00 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K103
<b>UX-220</b>	300X25.40 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K103
<b>UX-220</b>	300X25.40 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K103
<b>UX-220</b>	350X20.00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K103
<b>UX-220</b>	350X20.00 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K103
<b>UX-220</b>	350X25.40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K103
<b>UX-220</b>	350X25.40 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K103
<b>UX-220</b>	400X20.00 24 SEG. 39.6X3.2X10.0+3.0 NBL2 K103
<b>UX-220</b>	400X20.00 26 SEG. 39.6X3.2X10.0+3.0 NBL2 K103
<b>UX-220</b>	400X25.40 26 SEG. 39.6X3.2X10.0+3.0 NBL2 K103
<b>UX-220</b>	300X20.00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K109
<b>UX-220</b>	350X20.00 21SEG. 40.3X3.0X10.0+3.0 NBL2 3T K109
<b>UX-220</b>	350X25.40 21SEG. 40.3X3.0X10.0+3.0 NBL2 3T K109
<b>UX-220</b>	300X20.00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110
<b>UX-220</b>	350X20.00 21SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>UX-220</b>	350X25.40 21SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>UX-220</b>	400X20.00 24SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110
<b>UX-220</b>	400X25.40 24SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110
<b>UX-220</b>	300X20.00 20 SEG. 41.5X2.8X10.0+3.0 NBL2 4T K113
<b>UX-220</b>	350X20.00 24SEG. 40.3X3.0X10.0+3.0 NBL2 4T K113
<b>UX-220</b>	350X25.40 24SEG. 40.3X3.0X10.0+3.0 NBL2 4T K113



	<b>Asphalt / DEEP protection / 13mm segment / massiv steel core</b>
<b>AX-520</b>	300x20,00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	300x25,40 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	350x20,00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	350x25,40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	400x20,00 24 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110
<b>AX-520</b>	400x25,40 24 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110



	<b>Asphalt / DEEP protection / 11mm segment / massiv steel core</b>
<b>AX-230</b>	300x20,00 18 SEG. 40X2.8X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	300x25,40 18 SEG. 40X2.8X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	350x20,00 21 SEG. 40X3.0X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	350x25,40 21 SEG. 40X3.0X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	400x20,00 24 SEG. 40X3.2X8.0+3.0 NBL2 4T K110,1
<b>AX-230</b>	400x25,40 24 SEG. 40X3.2X8.0+3.0 NBL2 4T K110,1





	<b>Granit / 13mm segment / perforated steel core</b>
<b>GX-520</b>	115x22,23 8 SEG. 42.5X2.4X10+3 NBL1 K168,1
<b>GX-520</b>	125x22,23 9 SEG. 40.3X2.4X10+3 NBL1 K168,1
<b>GX-520</b>	150x22,23 11 SEG. 40.5X2.4X10+3 NBL1 K168,3
<b>GX-520</b>	180x22,23 13 SEG. 41.2X2.4X10+3 NBL1 K168,3
<b>GX-520</b>	230x22,23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,5
<b>GX-520</b>	230x22,23 15 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,5
<b>GX-520</b>	230x22,23 16 SEG. 43.4X2.6X10.0+3.0 NBL1 K168,4
<b>GX-520</b>	300x20,00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	300x20,00 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,4
<b>GX-520</b>	300x25,40 18 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	300x25,40 20 SEG. 41.5X2.8X10.0+3.0 NBL2 K168,4
<b>GX-520</b>	350x20,00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	350x20,00 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	350x25,40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	350x25,40 24 SEG. 40.3X3.0X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	400x20,00 24 SEG. 39.6X3.2X10.0+3.0 NBL2 K168,5
<b>GX-520</b>	400x25,40 24 SEG. 39.6X3.2X10.0+3.0 NBL2 K168,5





	<b>Granit / 10mm turbo rimmed / slim line steel core</b>
<b>GT-510</b>	115x22,23 2.2x10 mm Premium Turbo Rim
<b>GT-510</b>	115x22,23 2.2x10 mm Premium Turbo Rim
<b>GT-510</b>	125x22,23 2.2x10 mm Premium Turbo Rim
<b>GT-510</b>	125x22,23 2.2x10 mm Premium Turbo Rim
<b>GT-510</b>	180x22,23 2.4x10 mm Premium Turbo Rim
<b>GT-510</b>	200x30,0/25,4 2.5x10 mm Premium Turbo Rim
<b>GT-510</b>	230x22,23 2.6x10 mm Premium Turbo Rim
<b>GT-510</b>	230x22,23 2.6x10 mm Premium Turbo Rim
<b>GT-510</b>	250x30,0/25,4 2.8x10 mm Premium Turbo Rim
<b>GT-510</b>	300x30,0/25,4 2.8x10 mm Premium Turbo Rim
<b>GT-510</b>	350x30,0/25,4 2.6x10 mm Premium Turbo Rim





	<b>Granit / cut&amp;grind / 9mm segment / on a M14 flange</b>	
<b>UR-214</b>	125xM14 2,8x9 side protecting 24 mm	
<b>UR-214</b>	230xM14 2,8x9 side protecting 24 mm	


	<b>Fiber glass / plastic pipes / vacuum brazed diamond</b>	
<b>PR-540</b>	125X22.23 mm 9 Seg. 45x2.8x3.0 +chamfer20°	
<b>PR-540</b>	300X20.00 mm 22 Seg. 40x3.0x4.0 +chamfer20°	

	<b>Hard ceramics / granite / 10mm turbo rimed / extra thin blade</b>	
<b>TT-521</b>	115x22,23 1,4x10.0mm with reinforced flange	
<b>TT-521</b>	125x22,23 1,4x10.0mm with reinforced flange	

	<b>Concrete abrasiv / 13mm segment / DEEP protection</b>	
<b>FX-520</b>	300x20,00 15 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110	
<b>FX-520</b>	300x20,00 16 SEG. 41.5X2.8X10.0+3.0 NBL2 4T K113	
<b>FX-520</b>	300x25,40 15 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110	
<b>FX-520</b>	350x20,00 18 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110	
<b>FX-520</b>	350x20,00 20 SEG. 40.3X3.0X10.0+3.0 NBL2 4T K113	
<b>FX-520</b>	350x25,40 18 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110	
<b>FX-520</b>	350x25,40 20 SEG. 40.3X3.0X10.0+3.0 NBL2 4T K113	
<b>FX-520</b>	400x20,00 20 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110	
<b>FX-520</b>	400x25,40 20 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110	

	Construction materials / Universal / 13mm segments / slim line steel core	
<b>CX-540</b>	450x25,40 25 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	500x25,40 30 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	600x25,40 34 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	600x25,40 34 SEG. 39,6X4,6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	650x25,40 36 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	650x25,40 36 SEG. 39,6X4.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	700x25,40 40 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	700x25,40 40 SEG. 39,6X4.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	750x25,40 42 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	750x25,40 42 SEG. 39,6X4.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	800x25,40 45 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	
<b>CX-540</b>	800x25,40 46 SEG. 39,6X4.6X10.0+3.0 NBL1 K98	
<b>CX-540</b>	900x25,40 56 SEG. 39,6X3.6X10.0+3.0 NBL2 K101	

	Green concrete / DROP Protection	
<b>HS-510</b>	300x25,40 20 SEG. 40X3.2X9.0+2.0 NBL2 3K K103	
<b>HS-510</b>	350x25,40 24 SEG. 40X3.2X9.0+2.0 NBL2 4K K103	
<b>HS-510</b>	400x25,40 28 SEG. 40X3.2X9.0+2.0 NBL2 4K K103	
<b>HS-510</b>	350x25,40 22 SEG. 40X2.8X9.0+2.0 NBL2 3S K237	

	Green concrete / TIP Protection	
<b>HS-520</b>	350x25,40 24 SEG. 40X3.2X9.0+2.0 NBL2 4K K103	
<b>HS-520</b>	400x25,40 28 SEG. 40X3.2X9.0+2.0 NBL2 4K K42,1	
<b>HS-520</b>	450x25,40 32 SEG. 40X3.6X9.0+1.5 NBL2 8K K42,1	
<b>HS-520</b>	500x25,40 36 SEG. 40X3.6X9.0+2.0 NBL2 9K K103	
<b>HS-520</b>	600x25,40 42 SEG. 40X4.0X9.0+1.5 NBL2 7K K103	
<b>HS-520</b>	650x25,40 42 SEG. 40X4.6X9.0+1.5 NBL2 12K K103	
<b>HS-520</b>	700x25,40 48 SEG. 40X4.6X9.0+1.5 NBL2 12K K103	
<b>HS-520</b>	800x25,40 48 SEG. 40X4.6X9.0+1.5 NBL2 12K K101	
<b>HS-520</b>	1000x25,40 56 SEG. 40X4.6X9.0+1.5 NBL2 11K K202	

	Asphalt / DEEP protection / 13mm segment / massiv steel core
<b>AX-520</b>	300x20,00 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	300x25,40 18 SEG. 41.5X2.8X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	350x20,00 21 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	350x25,40 21 SEG. 40.3X3.0X10.0+3.0 NBL2 3T K110
<b>AX-520</b>	400x20,00 24 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110
<b>AX-520</b>	400x25,40 24 SEG. 39.6X3.2X10.0+3.0 NBL2 4T K110
<b>AX-520</b>	450x25,40 25 SEG. 39.6X3.6X10.0+3.0 NBL2 5T K110
<b>AX-520</b>	500x25,40 30 SEG. 39.6X3.6X10.0+3.0 NBL2 5T K110
<b>AX-520</b>	600x25,40 35 SEG. 39.6X4.0X10.0+3.0 NBL2 5T K110
<b>AX-520</b>	650x25,40 36 SEG. 39.6X4.0X10.0+3.0 NBL2 6K K101
<b>AX-520</b>	700x25,40 40 SEG. 39.6X4.0X10.0+3.0 NBL2 6K K101



	Asphalt / DEEP protection / 13mm segment / massiv steel core
<b>AX-230</b>	350x20,00 21 SEG. 40X3.0X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	350x25,40 21 SEG. 40X3.0X8.0+3.0 NBL2 3T K110,1
<b>AX-230</b>	400x20,00 24 SEG. 40X3.2X8.0+3.0 NBL2 4T K110,1
<b>AX-230</b>	400x25,40 24 SEG. 40X3.2X8.0+3.0 NBL2 4T K110,1
<b>AX-230</b>	450x25,40 24 SEG. 40X3.6X8.0+3.0 NBL2 5T K110,1
<b>AX-230</b>	500x25,40 30 SEG. 40X3.6X8.0+3.0 NBL2 5T K110,1
<b>AX-230</b>	600x25,40 35 SEG. 40X4.0X8.0+2.0 NBL2 5T K110,1

